

Ergro® Set 20G

Recommendations and Dosage in Different Crops

Soil Applications

Crop	Application Time	Dosage	Application	
Fruit Trees Citrus Trees	Apply in 2 fertilizations per year. 1 st application when the crop begins to flower. 2 nd application 6 months after the first one.	Minimum 100 g / tree.	Apply in the second third of the drip zone or at the growing level of the absorbent root.	
Sugarcane	Apply at the planting time or after the cut. In the 1 st fertilization.	65 lb per Acre	Mixed with the Granular Soil Fertilizer.	
Peppers Blueberry Cabbage Cotton Cucumber Eggplant Garlic Melon Peanut Potato Snap Bean Squash Sweet Corn Tomato Watermelon Radish All other Vegetables	Apply at the planting time in the 1 st fertilization.	54 lb per Acre	Mixed with the Granular Soil Fertilizer.	
Strawberry Tobacco	Apply in the fertilization after the transplant. Approximately 8 Days after the transplant.	54 lb per Acre	Mixed with the Granular Soil Fertilizer.	
Basic Crops: Corn Sorghum Wheat Beans Soy Beans	Apply at the planting time in the 1 st fertilization	18 lb per Acre	Mixed with the Granular Soil Fertilizer.	

Notes:

- Do Not Mix Ergro[®] Set 20G with Urea (46-0-0) due to the fact that it hydrolyzes, or apply just after the mix is made. Other sources of Nitrogen are compatible with Ergro[®] Set 20G.
- Ergro[®] Set 20G is compatible with most agrochemical products. To be sure make a quick compatibility test before mixing.