



Ergro® Win

Recommendations and Dosage in Different Crops

Foliar Applications

Crop	Application Time	Dosage	Application
Vegetables Tomato Pepper Cucumber Eggplant Squash	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 2-2.5 lb / acre 2 nd 2-2.5 lb / acre 3 rd 2-2.5 lb / acre	Foliar Application
Broccoli Cauliflower Watermelon Cantaloupe	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 2-2.5 lb / acre 2 nd 2-2.5 lb / acre 3 rd 2-2.5 lb / acre	Foliar Application
Cotton Garlic Onion Beans	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 1.5-2 lb / acre 2 nd 1.5-2 lb / acre 3 rd 1.5-2 lb / acre	Foliar Application
Corn Wheat Oat Barley Sorghum Saffron Rye Rice Chickpea	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 1-2 lb / acre 2 nd 1-2 lb / acre 3 rd 1-2 lb / acre	Foliar Application
Sugarcane	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 2-3 lb / acre 2 nd 2-3 lb / acre 3 rd 2-3 lb / acre	Foliar Application
Potato Sweet Potato	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 2-3 lb / acre 2 nd 2-3 lb / acre 3 rd 2-3 lb / acre	Foliar Application
Low Portage Fruit Trees	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 2-2.5 lb / acre 2 nd 2-2.5 lb / acre 3 rd 2-2.5 lb / acre	Foliar Application
High Portage Fruit Trees	From 2 to 3 applications 1 st application: Before Flowering. 2 nd 3 rd and further applications: Every 2-3 weeks after the previous application. Keep applying until the fruit formation, then we recommend applying Ergro® K Excel.	1 st 3-4 lb / acre 2 nd 3-4 lb / acre 3 rd 3-4 lb / acre	Foliar Application